

SUPPLEMENT TO



The Gazette of India

No. 38]

NEW DELHI, SATURDAY, SEPTEMBER 17, 1955

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 20th August, 1955

	CHOLERA		SMALLPOX		PLAQUE			CHOLERA		SMALLPOX		PLAQUE	
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.
STATES PART (A) & PART (C)													
								Cachar		3	3
								Kamrup		20	11
								TOTAL	.	23	14
(Estd. Mid-year pop. 741 thousands).								(Estd. Mid-year pop. 9,672 thousands)					
Total for w/e 6-8-55	.	—		Total for w/e 6-8-55		91	59
Total for w/e 13-8-55		Total for w/e 13-8-55		99	56
7-yearly mean for the week.		7-yearly mean for the week	3	2
Bhopal													
								TOTAL	.	..	7	3	..
								(Estd. Mid-year pop. 862 thousands)					
Visakhapatnam	3	1	..		Total for w/e 6-8-55	1	2
Godavari East	.	..	6		Total for w/e 13-8-55	9	..
Godavari West	.	..	1		7-yearly mean for the week
Krishna	5	1	..							
Guntur	.	..	2	1							
Kurnool	.	..	1	3							
Chittoor	.	..	8	2							
TOTAL	.	..	26	8							
(Estd. mid-year pop 21,013 thousands.)													
Total for w/e 6-8-55	.	6	2	46	6	4	3			18	7
Total for w/e 13-8-55	19	6	..				24	10
7-yearly mean for the week	.	499	238	70	17			7	1

Explanation of Symbols used : C. = Cases ; D. = Deaths . . . = Nil ; N. R. = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 20th August, 1955—*contd.*

	CHOLERA						SMALLPOX						PLAQUE							CHOLERA						SMALLPOX						PLAQUE					
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.									
Bihar— <i>contd.</i>																																					
Delhi																																					
Manbhum	.	.	43	14	3							
Palamau	.	.	6	2							
Singhbhum							
TOTAL	.	.	437	163	3							
(Estd. mid-year pop. 41,828 thousands.)																																					
Total for w/e 6-8-55	.	.	465	168	18	6							
Total for w/e 13-8-55	.	.	360	211	7	4							
7-yearly mean for the week	.	.	797	360	24	5							
Himachal Pradesh																																					
"N. R."																																					
Madhya Pradesh																																					
Bombay																																					
Satara South	.	.	3	..	10	2							
Ahmednagar	.	.	2	..	3	1							
East Khandesh	15	1							
West Khandesh	2							
Nasik	.	.	1	1	2	1							
Satara North	.	.	2	—	8							
Belgaum	.	.	—	—	3							
Dharwar							
Kolhapur	.	.	1							
TOTAL	.	.	9	1	43	5							
(Estd. mid-year pop. 38,892 thousands.)																																					
Total for w/e 6-8-55	.	.	11	7	35	8							
Total for w/e 13-8-55	.	.	11	6	18	5							
7-yearly mean for the week	.	.	149	67	80	15	6	8							
Coorg																																					
TOTAL	.	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
(Estd. mid-year pop. 256 thousands.)																																					
Total for w/e 6-8-55	.	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
Total for w/e 13-8-55	.	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
7-yearly mean for the week	.	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
(Estd. mid-year pop. 21,948 thousands)																																					
Total for w/e 6-8-55	.	.	6	4	66	11							
Total for w/e 13-8-55	.	.	12	7	82	21							
7-yearly mean for the week	.	.	419	224	15	3							

Explanation of Symbols used : C. = Cases; D. = Deaths; .. = Nil; "N. R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending
the 20th August 1955—concl.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 20th August, 1955—contd.

	CHOLERA SMALLPOX PLAGUE							CHOLERA SMALLPOX PLAGUE					
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.
—	—	—	—	—	—	—	—	—	—	—	—	—	—

West Bengal—contd.

24-Parganas	.	.	21	11	Bangalore	.	.	10	2
Calcutta	.	.	8	3	Chikmagalur
Total	.	.	97	43	7	3	—	Kolar	7
								Total	.	.	10	2	..	8

(Estd. mid-year pop.
26,099 thousands.)

Total for w/e 6-8-55	.	118	54	15	4
Total for w/e 13-8-55	.	114	58	8	6
7-yearly mean for the week	.	125	46	20	10
Grand Total for States Parts (A) & (C) (excluding Himachal Pradesh)	.	592	241	253	62

Corresponding (Estd.
Mid-year pop. 299,596
thousands)

Corresponding Total for w/e 6-8-55	742	308	274	51	4	3	Zalawad	II	3
Corresponding Total for w/e 13-8-55	832	346	253	74		Total	III	3
Corresponding 7 yearly mean for the week	2,757	1,315	362	90	6	2							

Mysore

Bangalore	.	.	.	10	2
Chikmagalur
Kolar
Total	.	.	.	10	2

Patiala and East Punjab States Union

Total	6	2
--------------	---	---	---	---	---	---	----	----

Rajasthan

"N. R."

Saurashtra

Zalawad	II	3
Total	III	3

Travancore-Cochin

STATES	PART (B)		TOTAL	3	2	..
Hyderabad			Grand Total for States Part (B)	.	.	10	2	21
Hyderabad	.	.	Grand Total for States Parts (A), (B) and (C)	.	602	243	274	70
Total

ARREAR INFORMATION

Jammu and Kashmir

"N. R."

Himachal Pradesh

w/e 13-8-55

Total
--------------	---	---	---	---	---	---	---	---

Jammu and Kashmir State

w/e 9-7-55

Madhya Bharat

"N. R."

Total
--------------	---	---	---	---	---	---	---	---

Explanation of Symbols used:—C.—Cases; D.—Deaths; .. —Nil; "N.R." —Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 20th August, 1955—*concl.*

POLIOMYELITIS

Place	Period	Cases
Delhi State	16—31 Aug. 55	9 (Perotic)
Punjab State	1—15 Aug. 55	18 (,,)

(Information based on patients treated in hospitals in important towns.)

A case of poliomyelitis imported from district 24-parganas dies on 25-8-55 in Calcutta city.

Explanation of Symbols used : C.—Cases ; D.—Deaths . . . —Nil.

NEW DELHI-2 (INDIA) ; }
The 12th September, 1955.]

K. MITRA,
for Registrar General, India.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S Small Savings Scheme

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES

Interest at 4½ per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.

10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES

3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.

10-YEAR NATIONAL PLAN CERTIFICATES

Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.

POST OFFICE SAVINGS BANK ACCOUNTS

2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.

Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 20th August, 1955

Town	Mid-year Popn. Est. (ooo)	Deaths from ---									
		B.	B.R.*	C.	S.	P.	E.	D.D.	R.D.	M.D.	Total

STATES—(Parts A and C)

Ajmer		"N.R."												
Andhra		61	59	50.3	2	1	..	16	13.7	8
.	.	36	23	33.1	2	2	..	5	7.2	..
.	.	43	43	49.6	5	2	1	1	15	17.3	4
.	.	35	22	32.7	1	..	1	..	6	8.9	1
.	.	42	22	27.2	4	..	1	..	11	13.6	..
.	.	41	77	97.7	2	5*	6.4	..
.	.	97	37	19.8	3	..	1	..	17	9.1	6
.	.	35	19	28.3	3	11	16.4	2
.	.	36	19	27.4	2	..	2	1	9	13.0	1
.	.	111	42	19.7	7	..	4	..	27	-	7
.	.	67	53	41.1	7	..	2	..	22	17.1	..
.	.	86	56	33.8	4	2	2	..	21	12.7	6
.	.	37	22	30.9	2	..	8	11.2	4
.	.	92	82	46.1	3	1	1	4	37	20.8	18
.	.	41	27	34.8	4	..	1	..	11	14.2	2
.	.	119	83	36.3	5	1	3	..	32	14.0	7
.	.	65	37	29.6	3	14	11.2	3
.	.	194	131	35.4	7	4	..	42	11.3	19
.	.	124	85	35.8	8	2	14	2	51	21.5	13
.	.	74	33	23.2	3	4	3	..	19	13.3	2
.	.	1,438	972	35.1	61	24	45	8	379	13.7	103

Annals

Shillong†	50	23	23.8	.	.	.	8	3	23	23.8	3
Gauhati	42	2	2.4	5	1	10	12.4	2
Dibrugarh†	92	25	14.1	13	4	33	18.7	5

Bhopal

Bhopal City 114 58 26·5 4 .. 4 .. 14 6·4

Delhi State

Delhi City	1,085	906	43.4	65	9	15	2	162	7.7	56	
New Delhi	355	240	35.2	4	2	29	4.2	1	
N.A.C. Civil Station, Delhi	111	112	52.5	..	2	..	3	..	1	10	4.7	2	
Delhi Cantt.	49	27	28.7	2	2	2.1	1	
Delhi-Shahdara	51	59	60.1	8	2	3	1	20	20.4	..
TOTAL	1,651	1,344	42.3	..	2	..	76	11	24	6	223	7.0	59

Jadhyā Pradesha

"N.R."

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

*Figures not available.

Explanation of symbols used :- B. - Births; B.R. - Birth Rate; C. - Cholera ; S. - Smallpox; P. - Plague; F. - Fevers; D.D. - Dysentery and Diarrhoea ; R.D. - Respiratory Diseases ; M.D. - Maternal Deaths ; D.R. - Death Rate ; I.D. - Infantile Deaths (included in total deaths); . - Nil information ; "N.R." - Information not received.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 20th August, 1955—*contd.*

Deaths from :—

Town	Mid-year Popn.-Est./ (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madras													
Ambur	44	32	37·8	1	1	10	11·8	5
Aruppukottai	54	43	41·4	4	2	14	13·5	9
Bodinayakanur	39	23	30·7	1	1	7	9·3	2
Cannanore	46	20	22·6	3	14	15·8	1
Chidambaram	38	33	45·2	2	11	15·1	..
Coimbatore	227	190	43·5	11	16	2	..	75	17·2	14
Cuddalore	73	88	62·7	1	2	2	..	16	11·4	5
Dindigul	88	46	27·2	1	..	1	..	17	10·0	2
Erode	65	34	27·2	2	1	4	..	8	12·0	3
Gobichetty†	37	18	25·3	6	..	1	..	4	5·6	1
Palayam	51	37	37·7	5	13	13·3	1
Guddiyattam													
Kanchipuram	89	76	44·4	4	7	28	16·4	5
Karaikudi	43	27	32·7	4	4·8	3
Karur	48	12	13·0	1	8	8·7	3
Kozhikode	173	190	57·1	9	6	10	4	91	27·4	20
Kumbakonam	102	70	35·7	2	4	7	5	74	37·7	8
Madras	1,649	1,388	43·8	52	113	168	1	626	19·7	16·7
Mangalore	133	72	28·3	1	4	8	..	37	14·5	8
Mathurai	415	303	38·0	7	13	32	..	113	14·2	31
Meyyuram	48	39	42·3	2	9	9·7	2
Melapalayam	46	18	23·4	1	..	1	..	4	5·2	1
Nagapattinam	60	60	52·0	1	2	19	16·5	9
Ottacamund	46	53	59·9	4	4	..	7	7·9	5
Palani	39	27	36·0	2	1	3	..	9	12·0	1
Palayamkottai	44	24	28·4	2	2	1	..	11	13·0	2
Pariyakulam	33	21	33·1	1	2	2	..	11	17·3	7
Pollachi	49	30	31·8	2	..	1	..	8	8·5	1
Pudukkottai	49	50	53·1	2	1	1	..	20	21·2	6
Rajapalayam	67	34	26·4	3	3	1	19	14·7	7
Salem	234	160	35·6	6	7	12	..	60	13·3	4
Srirangam	41	13	15·2	8	9·3	..
Srivilliputtur†	115	94	42·5	1	3	3	..	31	14·0	4
Tanjore	42	53	65·6	..	2	2	1	..	14	17·3	2
Tellicherry													
Tiruchirappalli	245	158	33·5	5	12	3	52	11·0	13
Tirunelveli	79	56	36·9	1	7	..	25	16·5	10
Tiruppur	61	44	37·5	2	2	..	13	11·1	2
Tiruvannamalai	44	33	39·0	1	..	3	2	7	8·3	..
Tuticorin	109	73	34·8	1	1	8	..	27	12·9	6
Vaniyambadi	42	17	21·0	3	2	..	12	14·9	2
Vellore	121	106	45·6	2	2	8	3	37	15·9	7
Villupuram	39	22	29·3	2	1	1	..	7	9·3	1
Vkrudunagar	51	26	26·5	3	2	1	..	17	17·3	5
TOTAL	5,112	3,913	39·8	..	2	..	109	205	345	24	1,604	16·3	385

Orissa

Berhampur	70	75	55·9	3	2	1	2	31	23·1	9
Cuttack	114	128	58·5	7	3	7	..	43	19·7	3
Puri	53	21	20·7	8	5	2	..	26	25·6	5

TOTAL 237 224 49·1 18 10 10 2 100 22·0 19

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 20th August, 1955—*contd.*

Deaths from :—

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Punjab (I)													
Ambala	64	45	36·7	..	I	..	5	I	3	..	18	14·7	6
Amritsar	335	240	37·4	1	3	29	..	94	14·6	37
Batala	61	43	36·8	9	I	..	18	15·4	10	
Bhiwani	56	61	56·8	2	2	2	..	10	9·3	6
Ferozepore	43	31	37·6	2	..	3	..	12	14·5	2
Hissar	38	35	48·0	5	..	I	..	10	13·7	2
Hoshiarpur	50	23	24·0	I	2	1	..	11	11·5	6
Jullundur	194	147	39·5	I	5	16	..	26	7·0	9
Karnal	69	46	34·8	4	..	I	..	5	3·8	3
Ludhiana	172	157	47·6	13	..	3	..	25	7·6	10
Moga	40	40	52·0	3	I	9	11·7	4
Panipat	62	55	46·3	5	10	8·4	3
Pathankot	33	39	61·6	4	I	5	7·9	3
Rewari	36	31	44·9	2	I	2	..	8	11·6	4
Rohtak	102	81	47·4	6	..	I	..	11	5·6	8
Simla	49	39	41·5	10	10·6	2
Sonepat	33	23	36·3	4	..	3	..	11	17·4	3
TOTAL	1,437	1,136	41·1	—	I	..	67	16	66	I	293	10·6	118

Uttar Pradesh

Agra	367	473	67·2	5	I3	75	—	156	22·2	61
Allahabad	342	170	25·9	1	I	19	..	50	7·6	18
Amroha	60	96	5	3	7	..	28	24·3	13
Baldia	46	38	43·1	I	2	2	..	11	12·5	4
Benares	375	428	59·5	45	I7	28	..	208	28·9	73
Ballia	34	13	19·9	2	10	15·3	6
Banda	32	12	19·5	..	I	..	6	—	I	..	9	14·7	3
Bareilly	201	98	25·4	I7	..	3	..	24	6·2	9
Bijnor	31	26	43·7	I	..	I	..	4	6·7	1
Budaun†	6	9	11·4	2
Basti†
Bulandshahr	41	13	16·5	6	9	11·4	2
Chandausi	40	41	53·4	I2	3	6	..	39	50·8	16
Dehra Dun	141	28	10·3	4	..	6	..	21	7·8	4
Etawah	63	78	64·5	I3	4	33	27·3	16
Faizabad-Ayodhya	85	40	24·5	3	I	I	..	11	6·7	2
Farrukhabad-Fatehgarh	81	60	38·6	5	5	9	..	3	21·9	14
Ferozabad	76	56	38·4	2	I	I	..	9	6·2	4
Ghaziabad	45	46	53·3	4	I	I	..	16	18·5	5
Ghazipur	36	28	40·5	3	2	I	..	14	20·3	1
Gorakhpur	137	83	31·6	7	2	I	..	20	7·6	4
Gonda	34	8	12·3	I	..	I	..	4	6·1	1
Hapur	48	50	54·3	I3	2	23	25·0	-8
Hardwar	63	36	29·8	I8	4	4	..	31	25·6	10
Hathras	61	94	16	II	6	I	42	35·9	23
Jaunpur	56	33	30·7	3	..	5	..	15	14·0	1
Jhansi	115	113	51·2	22	2	I	..	32	14·5	14
Kanpur	716	498	35·0	128	22	50	6	323	22·7	95
Kasganj	34	14	21·5	3	..	I	..	5	7·7	1
Khurja	40	36	46·9	4	I	2	..	15	19·5	6
Koil-Aligarh	148	120	42·3	..	I	..	12	5	2	..	31	10·9	10
Lucknow†	108	93	44·9	34	3	6	..	53	25·6	15

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 20th August, 1955—contd.

Deaths from :—

Town	Mid-year Popn.—Est. (000).	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Uttar Pradesh—contd.														
Mau-Nath Bhanjan .	37	49	10·0	—	—	—	9	3	18	25·4	4	
Meerut .	181	107	30·9	1	3	..	10	1	3	..	24	6·9	9	
Mirzapur-Vindhya Chal	95	74	40·6	8	2	5	..	27	14·8	13	
Moradabad .	163	155	49·6	9	1	14	1	35	11·3	9	
Muzaffarnagar .	72	69	50·0	9	1	1	..	17	12·3	8	
Pilibhit .	45	48	55·6	3	..	4	..	14	16·2	7	
Rampur†														
Saharanpur .	258	126	41·6	26	1	2	..	34	11·2	15	
Sambhal .	64	56	45·6	4	4	4	..	21	17·1	11	
Shahjahanpur .	99	94	49·5	15	2	22	11·6	6	
Sitapur .	48	27	29·3	2	..	2	..	6	6·5	4	
TOTAL		46,18	37,27	42·1	1	5	..	491	118	275	8	1,498	16·9	526

West Bengal

“N. R.”

STATES (Part B)

Jammu & Kashmir

“N.R.”

Madhya Bharat

Greater Gwalior .	267	168	32·7	..	2	..	4	..	1	..	14	2·7	..	
Indore .	357	158	23·3	25	4	9	1	90	13·1	40	
Ujjain .	151	59	20·3	7	3	..	2	39	13·4	1	
Ratlam .	71	29	14·6	2	10	7·3	..	
Mandsaur .	40	12	15·6	5	5	6·5	..	
TOTAL		886	417	24·5	..	2	..	43	7	10	3	158	9·3	41

Mysore

Bangalore .	936	554	35·5	—	..	—	4	38	73	..	202	12·9	..
Mysore .	285	148	37·9	17	10	7	..	63	16·1	..
Kolar Gold Fields .	170	145	44·4	2	8	7	..	41	12·5	..

Davangere†

TOTAL		1,391	847	31·7	—	23	56	87	..	306	13·8	..
--------------	--	-------	-----	------	----	----	---	----	----	----	----	-----	------	----

PEPSU

Patiala City .	108	72	34·7	12	1	1	..	28	13·5	13
Malerkotla .	34	28	42·8	2	6	9·2	1
Bhatinda .	38	34	49·1	1	3	4·3	3

TOTAL		180	134	38·7	15	1	1	..	37	10·7	17
--------------	--	-----	-----	------	----	----	----	----	---	---	----	----	------	----

Rajasthan

Alwar .	60	17	14·7	..	1	..	2	1	2	..	7	6·1	3	
Bharatpur .	38	21	28·7	8	5	6·8	1	
Bikaner†														
Churu .	46	3	3·4	6	6·9	..	
Ganganagar .	45	12	13·9	1	..	2	..	5	6	..	
Tonk .	45	20	23·1	1	1	5	..	
Kotah .	71	3	2·2	3	1	6	4·4	..	
Sikar†														
Jaipur .	341	69	10·5	17	8	11	..	64	9·8	23	
Udaipur .	103	11	5·6	5	..	2	..	9	5·5	1	
Jodhpur .	196	81	21·5	4	..	6	..	17	4·5	3	
TOTAL		945	237	13·4	..	1	..	41	11	23	..	119	6·5	32

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information; “N.R.”—Information not received.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 20th August, 1955—contd.

Deaths from :—

Town	Mid-year Popn. Est. (ooo)	B.	B.R.*	C.	S.	P.	F.†	D.D.	R.D.	M.D.	Total	D.R.**	I.D.
Travancore-Cochin													
"N. R."													
Saurashtra													
Bhavnagar	153	73	23.4	15	4	2	..	36	12.2	11
Dhoraji	46	27	30.5	1	3	3.4	..
Gondal	40	34	44.2	1	1	10	13.0	3
Jamnagar	119	23	10.1	5	3	3	..	18	7.1	5
Junagadh†	42	19	23.5	5	..	1	..	7	8.7	2
Morvi
Porbandar	63	27	22.3	8	1	1	..	16	13.2	5
Rajkot	161	148	47.8	12	2	3	1	31	10.0	9
Surendranagar	41	6	7.6	1	1	..	3	3.8	1
Veraval	45	7	8.1	3	..	1	..	6	6.9	..
TOTAL	710	364	26.7	49	13	12	..	130	9.5	36
ARREAR RETURNS													
Bihar													
<i>For w/e the 6th August 1955</i>													
Arrah	69	10	7.5	2	3	2.3	..
Bihar	67	12	9.3	8	1	1	12	9.3	..
Bettiah	38	16	21.9	3	2.7	..
Bhagalpur†
Chapra	68	37	28.3	1	10	7.6	2
Darbhanga	92	20	11.3	3	1	12	6.8	..
Dhanbad	40	7	9.1	3	3	3.9	..
Dinapur	44	5	5.9	1	..	1	..	6	7.1	..
Gaya	146	48	17.1	..	1	..	31	9	8	1	79	28.1	..
Hazaribagh	38	15	20.5	6	8.2	1
Jamalpur	46	9	10.2	1	2	2.3	..
Jamshedpur	241	133	28.7	3	2	26	5.6	8
Katihar	49	2	2.1	1	1	2	2.1	..
Monghyr	79	11	7.2	3	4	2.6	..
Muzaffarpur	82	28	17.8	2	..	3	..	11	7.0	..
Patna	321	141	22.8	..	1	..	10	1	4	1	51	8.3	..
Purulia	46	9	10.2	2	2	5	10.2	..
Ranchi	126	27	11.1	3	1	11	4.5	..
TOTAL	1,592	530	17.3	12	2	..	62	16	16	6	245	8.0	11
West Bengal													
<i>For w/e the 13th August 1955</i>													
Asansol†	33	7	11.1	1	1.6	..
Baidyabati	65	8	6.4	2	2	1.6	..
Bally
Bankura†	87	36	21.5	6	4	..	22	13.1	..
Bansberia†
Baranagar
Basirhat	39	3	4.0	2	1	6	8.0	1
Berhampur	62	44	37.0	2	12	10.1	1
Bhadreshwar	34	12	18.4	4	6.1	..
Bhatpara	141	29	10.7	8	2	2	2	34	12.6	13
Budge-Budge	32	6	9.8	2	1	6	9.8	3
Burdwan	81	11	7.1	1	1	..	11	7.1	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available

Explanation of symbols used : - B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.F.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 20th August, 1955—*contd.*

Deaths from :—

Town	Mid-year Popn.-Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.	I.D.
West Bengal—<i>contd.</i>													
Calcutta	2,931	1,450	25·8	9	39	88	120	2	652	11·6	198
Champdani	40	15	19·6	1	..	3	3·9	..
Cooch Behar†													
Darjeeling†													
English Bazar	35	25	37·2	4	1	2	..	6	8·9	..
Garden Reach	121	16	6·9	1	1	2	..	14	6·0	4
Halisahar	40	5	6·5	2	2·6	..
Hooghly Chinsura	60	49	42·6	1	2	3	..	13	11·3	4
Howrah	471	152	16·8	8	6	..	6	25	26	1	132	14·6	51
Jalpaiguri†													
Kamarhati†													
Kanchrapara	71	11	8·1	..	28	—	28	20·6	..
Krishnagar	55	26	30·8	1	1	1	0·9	..
Midnapur	44	26	30·8	1	1	7	8·3	..
Nabadwip	67	33	25·7	5	4	3	..	14	10·9	1
Naihati	61	4	3·4	1	1	5	4·3	1
North Barrackpore	36	9	13·0	1	1	2	2·9	..
Panihati	62	3	2·5
Shantipur	48	26	28·2	6	..	—	..	1	1·1	..
Serampore	82	48	30·5	4	1	1	..	24	15·3	9
Siliguri	42	17	21·1	1	1	..	4	5·0	..
South Dum Dum	79	1	0·7	1	0·7	..
South Suburban	120	24	10·4	1	9	1	..	21	9·1	..
Titagarh	76	22	15·1	2	16	1	1	..	22	15·1	25
TOTAL	5,115	2,092	21·3	20	34	..	92	152	167	7	1,050	10·7	293

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—No information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 20th August, 1955, relate to 159 towns with an estimated population of 18,811 thousands. The total number of towns is 300 and their population is 38,988 thousands. Thus 53% of the total number of towns representing 48% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 13,398 and 4,894 representing birth and death rates of 37·0 and 13·5 per thousand of population respectively.

(A) States (Parts A and C).—The data here relate to 130 towns with an estimated population of 14,699 thousands. Information about Ajmer, Bihar, Bombay, Madhya Pradesh, West Bengal could not be included. The total number of towns is 252 and their population is 32,572 thousands. Thus 52% of the total number of towns representing 45% of the total population is covered. The number of births and

deaths recorded in these towns were 11,399 and 4,144 representing birth rates and death rates of 40·3 and 14·7 per thousand of population respectively. The table at the end gives the position by States.

No town except Chandauli in Uttar Pradesh recorded a high death rate of 50 or over per thousand of population and this high death rate was mainly due to deaths from fevers and respiratory diseases.

(B) States (Part B).—The data here relate to 29 towns with an estimated population of 4,112 thousands. The total number of towns is 48 and their population is 6,416 thousands. Thus 60% of the total number of towns representing 64% of the total population is covered. The number of births and deaths recorded in these towns were 1,999 and 750 representing birth and death rates of 25·3 and 9·5 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 20-8-55		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Andhra	35·1	13·7	42·0	18·4	†	†
Delhi	42·3	7·0	40·8	8·5	44·5	11·6
Madras	39·8	16·3	38·6	18·1	†	†
Orissa	49·1	22·0	58·7	21·1	40·4	22·7
Punjab (I)	41·1	10·6	38·4	10·2	36·5	11·4
Uttar Pradesh	42·1	16·9	38·7	15·3	38·2	18·0
India (only States Parts A and C)	40·3	14·7	36·7	15·1	35·5	17·8

† Figures not available.

NEW DELHI-2 (INDIA); }
The 12th Sept. 1955. }

K. MITRA,
for Registrar General of India.